# **SAFETY DATA SHEET**

Version 5.1 Revision Date 02/24/2014 Print Date 02/27/2014

## 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Diethylamine

Product Number : 471216
Brand : Sigma-Aldrich
Index-No. : 612-003-00-X

REACH No. : A registration number is not available for this substance as the substance

or its uses are exempted from registration, the annual tonnage does not

require a registration or the registration is envisaged for a later

registration deadline.

CAS-No. : 109-89-7

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : (314) 776-6555

#### 2. HAZARDS IDENTIFICATION

## 2.1 Classification of the substance or mixture

## GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225 Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 4), H332 Acute toxicity, Dermal (Category 3), H311

Skin irritation (Category 2), H315
Serious eye damage (Category 1), H318
Respiratory sensitisation (Category 1), H334
Skin sensitisation (Category 1), H317
Acute aquatic toxicity (Category 3), H402

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H225 Highly flammable liquid and vapour. H302 + H332 Harmful if swallowed or if inhaled

H311 Toxic in contact with skin.

H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eve damage. May cause allergy or asthma symptoms or breathing difficulties if inhaled. H334 Harmful to aquatic life. H402 Precautionary statement(s) P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ventilating/lighting/equipment. P242 Use only non-sparking tools. Take precautionary measures against static discharge. P243 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P261 Wash skin thoroughly after handling. P264 Do not eat, drink or smoke when using this product. P270 Use only outdoors or in a well-ventilated area. P271 Contaminated work clothing should not be allowed out of the workplace. P272 P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P285 In case of inadequate ventilation wear respiratory protection. P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove victim to fresh air and keep at rest in a position P304 + P340 comfortable for breathing. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER or doctor/ physician. P322 Specific measures (see supplemental first aid instructions on this label). P330 Rinse mouth. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P361 Remove/Take off immediately all contaminated clothing. P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction. P403 + P235 Store in a well-ventilated place. Keep cool. P405 Store locked up. P501 Dispose of contents/ container to an approved waste disposal plant.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

# **Hazardous components**

nazardous components		
Component	Classification	Concentration
Diethylamine		
	Flam. Liq. 2; Acute Tox. 4;	-
	Acute Tox. 3; Skin Irrit. 2; Eye	
	Dam. 1; Resp. Sens. 1; Skin	
	Sens. 1; Aquatic Acute 3;	
	H225, H302 + H332, H311,	
	H315, H317, H318, H334,	

Sigma-Aldrich - 471216 Page 2 of 9

H402

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 4. FIRST AID MEASURES

## 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

## 4.3 Indication of any immediate medical attention and special treatment needed

no data available

## **5. FIREFIGHTING MEASURES**

## 5.1 Extinguishing media

## Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

# 5.2 Special hazards arising from the substance or mixture

Carbon oxides, nitrogen oxides (NOx)

## 5.3 Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

## 5.4 Further information

Use water spray to cool unopened containers.

#### 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

## 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

## 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

## 6.4 Reference to other sections

For disposal see section 13.

## 7. HANDLING AND STORAGE

## 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Sigma-Aldrich - 471216 Page 3 of 9

Flash back possible over considerable distance. Container explosion may occur under fire conditions. Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Diethylamine	109-89-7	TWA	5 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Eye & Upper Respiratory Tract irritation Not classifiable as a human carcinogen Danger of cutaneous absorption		
		STEL	15 ppm	USA. ACGIH Threshold Limit Values (TLV)
		Eye & Upper Respiratory Tract irritation Not classifiable as a human carcinogen Danger of cutaneous absorption		carcinogen
	TWĂ	10 ppm 30 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000	
		STEL	25 ppm 75 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
		TWA	25 ppm 75 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		The value in mg/m3 is approximate.		
		TWA	10 ppm 30 mg/m3	USA. NIOSH Recommended Exposure Limits
		ST	25 ppm 75 mg/m3	USA. NIOSH Recommended Exposure Limits

## 8.2 Exposure controls

#### Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

## Personal protective equipment

## Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

## Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Splash contact

Material: Fluorinated rubber Minimum layer thickness: 0.7 mm Break through time: 159 min

Material tested: Vitoject® (KCL 890 / Aldrich Z677698, Size M)

Sigma-Aldrich - 471216 Page 4 of 9

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

## **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

# Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

## 9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid

b) Odour no data availablec) Odour Threshold no data available

d) pH 13 at 100 g/l at 20 °C (68 °F)

e) Melting point/freezing Melting point/range: -50 °C (-58 °F)

point

f) Initial boiling point and 55 °C (131 °F) boiling range

g) Flash point -23 °C (-9 °F) - closed cup

h) Evapouration rate no data availablei) Flammability (solid, gas) no data available

j) Upper/lower Upper explosion limit: 10.1 %(V) flammability or Lower explosion limit: 1.8 %(V)

explosive limits

k) Vapour pressure 241.936 hPa (181.467 mmHg) at 20 °C (68 °F)

974.637 hPa (731.038 mmHg) at 55 °C (131 °F)

I) Vapour density 2.53 - (Air = 1.0)

m) Relative density 0.707 g/mL at 25 °C (77 °F)

n) Water solubility soluble

o) Partition coefficient: n- log Pow: 0.58

octanol/water

) Auto-ignition no data available

temperature

q) Decomposition no data available temperature

r) Viscosity no data availables) Explosive properties no data available

Sigma-Aldrich - 471216 Page 5 of 9

t) Oxidizing properties no data available

## 9.2 Other safety information

Surface tension 19.85 mN/m at 25 °C (77 °F)

Relative vapour density 2.53 - (Air = 1.0)

#### 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

no data available

## 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

Vapours may form explosive mixture with air.

#### 10.4 Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight.

#### 10.5 Incompatible materials

Aldehydes, Alcohols, Dicyanofurazan, Ketones, phenols, Acids, Halogenated hydrocarbon, Oxidizing agents, Epoxides

## 10.6 Hazardous decomposition products

Other decomposition products - no data available

In the event of fire: see section 5

### 11. TOXICOLOGICAL INFORMATION

## 11.1 Information on toxicological effects

## **Acute toxicity**

LD50 Oral - rat - 540 mg/kg

LC50 Inhalation - rat - 4 h - 4000 ppm

LD50 Dermal - rabbit - 577 mg/kg

no data available

#### Skin corrosion/irritation

Skin - rabbit

Result: Severe skin irritation

## Serious eye damage/eye irritation

no data available

# Respiratory or skin sensitisation

Germ cell mutagenicity

no data available

#### Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

Sigma-Aldrich - 471216 Page 6 of 9

## Reproductive toxicity

no data available

no data available

## Specific target organ toxicity - single exposure

no data available

## Specific target organ toxicity - repeated exposure

no data available

## **Aspiration hazard**

no data available

#### **Additional Information**

RTECS: HZ8750000

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, Lachrymation

#### 12. ECOLOGICAL INFORMATION

## 12.1 Toxicity

Toxicity to fish LC50 - Oncorhynchus mykiss (rainbow trout) - 25 - 198 mg/l - 96 h

LC50 - Oncorhynchus mykiss (rainbow trout) - 25 - 198 mg/l - 96 h

Toxicity to daphnia and

other aquatic invertebrates

EC50 - Daphnia magna (Water flea) - 56 mg/l - 48 h

EC50 - Daphnia magna (Water flea) - 56 mg/l - 48 h

Toxicity to algae EC50 - Algae - 20 mg/l - 96 h

EC50 - Pseudokirchneriella subcapitata (green algae) - 20 mg/l - 96 h

Toxicity to bacteria - Bacteria - 47 mg/l - 17 h

## 12.2 Persistence and degradability

Biodegradability Biotic/Aerobic - Exposure time 28 d

Result: 75 % - Readily biodegradable.

### 12.3 Bioaccumulative potential

no data available

# 12.4 Mobility in soil

no data available

## 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life.

Do not empty into drains.

#### 13. DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

## Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

### Contaminated packaging

Dispose of as unused product.

Sigma-Aldrich - 471216 Page 7 of 9

## 14. TRANSPORT INFORMATION

DOT (US)

UN number: 1154 Class: 3 (8) Packing group: II

Proper shipping name: Diethylamine Reportable Quantity (RQ): 100 lbs

Marine pollutant: No

Poison Inhalation Hazard: No

**IMDG** 

UN number: 1154 Class: 3 (8) Packing group: II EMS-No: F-E, S-C

Proper shipping name: DIETHYLAMINE

Marine pollutant: No

**IATA** 

UN number: 1154 Class: 3 (8) Packing group: II

Proper shipping name: Diethylamine

#### 15. REGULATORY INFORMATION

REACH No. : A registration number is not available for this substance as the substance

or its uses are exempted from registration, the annual tonnage does not

require a registration or the registration is envisaged for a later

registration deadline.

#### **SARA 302 Components**

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

### **SARA 313 Components**

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

## SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard

## **Massachusetts Right To Know Components**

	CAS-No.	Revision Date
Diethylamine	109-89-7	2007-03-01

Pennsylvania Right To Know Components

Diethylamine CAS-No. Revision Date 109-89-7 2007-03-01

**New Jersey Right To Know Components** 

Diethylamine CAS-No. Revision Date 2007-03-01

# California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### 16. OTHER INFORMATION

#### Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Aquatic Acute Acute aquatic toxicity
Eye Dam. Serious eye damage
Flam. Liq. Flammable liquids

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H302 + H332 Harmful if swallowed or if inhaled

H311 Toxic in contact with skin. H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

Sigma-Aldrich - 471216 Page 8 of 9

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H402 Harmful to aquatic life.

## **HMIS Rating**

Health hazard: 3
Chronic Health Hazard: \*
Flammability: 3
Physical Hazard 0

# **NFPA Rating**

Health hazard: 3
Fire Hazard: 3
Reactivity Hazard: 0

#### **Further information**

Copyright 2014 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

## **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.1 Revision Date: 02/24/2014 Print Date: 02/27/2014

Sigma-Aldrich - 471216 Page 9 of 9