

# SAFETY DATA SHEET

Revision Date 02-Apr-2015 Revision Number 1

1. Identification

Product Name Tryptic Soy Broth (TSB)

Cat No.: R064880, R064882, R064890, R064892, R064900, R064902, R065000,

R065002, R07222, R07224, R07226, R07228, R08942, R08943, R08944, R08948, R09932, R112291, R112692, R112709, R112723, R112724, R112728, R112730, R112731, R112732, R112733, R112737, R112740, R112741, R112744, R112745, R112748, R112758, R112767, R112806, R112807, R112986, R112996, R117830, R117832, R117834, R117835,

R118881, R119880, R119886, R92020, R92026

Synonyms Soybean - Casein digest

Recommended Use Laboratory chemicals.

Uses advised against No Information available

Details of the supplier of the safety data sheet

Company Emergency Telephone Number

Remel INFOTRAC - 24 Hour Number: 1-800-535-5053

12076 Santa Fe Drive Outside of the United States, call 24 Hour Number: 001-352-323-3500 (Call Collect)

Lenexa, KS 66215 United States Telephone: 1-800-255-6730

Fax:1-800-621-8251

## 2. Hazard(s) identification

Classification

Classification under 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Based on available data, the classification criteria are not met

Label Elements

None required

Hazards not otherwise classified (HNOC)

None identified

**Unknown Acute Toxicity** 

.? % of the mixture consists of ingredients of unknown toxicity.

# 3. Composition / information on ingredients

| Component        | CAS-No    | Weight % |
|------------------|-----------|----------|
| Sodium hydroxide | 1310-73-2 | 0.01     |

### 4. First-aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Obtain medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Get medical attention

immediately if symptoms occur.

**Inhalation** Move to fresh air. Get medical attention immediately if symptoms occur.

Ingestion Clean mouth with water and drink afterwards plenty of water. Get medical attention if

symptoms occur.

Most important symptoms/effects

Notes to Physician

None reasonably foreseeable.

Treat symptomatically

# Fire-fighting measures

**Suitable Extinguishing Media**Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable Extinguishing Media No information available

Flash Point No information available Method - No information available

**Autoignition Temperature** 

**Explosion Limits** 

No information available

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

### **Specific Hazards Arising from the Chemical**

Keep product and empty container away from heat and sources of ignition.

### **Hazardous Combustion Products**

None known

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

HealthFlammabilityInstabilityPhysical hazards100N/A

### 6. Accidental release measures

Personal Precautions Ensure adequate ventilation. Use personal protective equipment. Avoid dust formation. Environmental Precautions Should not be released into the environment.

Environmental Freductions

**Methods for Containment and Clean** Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dust **Up** 

# 7. Handling and storage

Handling Wear personal protective equipment. Ensure adequate ventilation. Avoid contact with skin,

eyes and clothing. Avoid ingestion and inhalation. Avoid dust formation.

**Storage** Keep containers tightly closed in a dry, cool and well-ventilated place.

# 8. Exposure controls / personal protection

### **Exposure Guidelines**

| Component        | ACGIH TLV                    | OSHA PEL                               | NIOSH IDLH                   |
|------------------|------------------------------|--|------------------------------|
| Sodium hydroxide | Ceiling: 2 mg/m <sup>3</sup> | (Vacated) Ceiling: 2 mg/m <sup>3</sup> | IDLH: 10 mg/m <sup>3</sup>   |
|                  |                              | TWA: 2 mg/m <sup>3</sup>               | Ceiling: 2 mg/m <sup>3</sup> |

| Component        | Quebec                       | Mexico OEL (TWA)             | Ontario TWAEV            |  |
|------------------|------------------------------|------------------------------|--------------------------|--|
| Sodium hydroxide | Ceiling: 2 mg/m <sup>3</sup> | Ceiling: 2 mg/m <sup>3</sup> | CEV: 2 mg/m <sup>3</sup> |  |

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Engineering Measures Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

**Skin and body protection**Wear appropriate protective gloves and clothing to prevent skin exposure.

**Respiratory Protection** Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

### 9. Physical and chemical properties

Physical StateLiquidAppearanceAmberOdorOdorless

Odor Threshold No information available

**pH** 7.3

Melting Point/Range

Boiling Point/Range

Flash Point

Evaporation Rate

Flammability (solid,gas)

No data available
No information available
No information available
No information available

Flammability or explosive limits

Upper No data available
Lower No data available
Vapor Pressure No information available
Vapor Density No information available
Relative Density No information available
Solubility No information available
Partition coefficient; n-octanol/water No data available

Autoignition Temperature

No information available

No information available

No information available

**Viscosity** No information available

### 10. Stability and reactivity

**Reactive Hazard** None known, based on information available

Stable under normal conditions. Stability

Incompatible products. Excess heat. Avoid dust formation. **Conditions to Avoid** 

**Incompatible Materials** Strong oxidizing agents

Hazardous Decomposition Products None under normal use conditions

**Hazardous Polymerization** Hazardous polymerization does not occur.

**Hazardous Reactions** None under normal processing.

# 11. Toxicological information

**Acute Toxicity** 

**Product Information** 

Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg. Oral LD50 **Dermal LD50** Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg. Based on ATE data, the classification criteria are not met. ATE > 20 mg/l. Vapor LC50

**Component Information** 

| Component                   | LD50 Oral                | LD50 Dermal         | LC50 Inhalation |
|-----------------------------|--------------------------|---------------------|-----------------|
| Sodium hydroxide            | Not listed               | 1350 mg/kg (Rabbit) | Not listed      |
| Toxicologically Synergistic | No information available |                     |                 |

**Toxicologically Synergistic** 

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No information available

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

|   | Component        | CAS-No    | IARC       | NTP        | ACGIH      | OSHA       | Mexico     |
|---|------------------|-----------|------------|------------|------------|------------|------------|
| ı | Sodium hydroxide | 1310-73-2 | Not listed |

**Mutagenic Effects** No information available

**Reproductive Effects** No information available.

**Developmental Effects** No information available.

No information available. **Teratogenicity** 

STOT - single exposure None known STOT - repeated exposure None known

**Aspiration hazard** No information available

Symptoms / effects,both acute and No information available

delaved

**Endocrine Disruptor Information** No information available

**Other Adverse Effects** The toxicological properties have not been fully investigated.

Revision Date 02-Apr-2015

# 12. Ecological information

#### **Ecotoxicity**

Do not empty into drains.

|   | Component        | Freshwater Algae | Freshwater Fish     | Microtox | Water Flea |
|---|------------------|------------------|---------------------|----------|------------|
| Ī | Sodium hydroxide | =                | 45.4 mg/L LC50 96 h | -        | -          |

Persistence and Degradability
Bioaccumulation/ Accumulation

No information available
No information available.

**Mobility** No information available.

# 13. Disposal considerations

Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified as a

hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

|                    | 14. Transport information  |  |  |
|--------------------|----------------------------|--|--|
| DOT                | Not regulated              |  |  |
| DOT<br>TDG<br>IATA | Not regulated              |  |  |
| <u>IATA</u>        | Not regulated              |  |  |
| IMDG/IMO_          | Not regulated              |  |  |
|                    | 15. Regulatory information |  |  |

All of the components in the product are on the following Inventory lists: X = listed

#### International Inventories

| Component        | TSCA | DSL | NDSL | EINECS    | ELINCS | NLP | PICCS | ENCS | AICS | IECSC | KECL |
|------------------|------|-----|------|-----------|--------|-----|-------|------|------|-------|------|
| Sodium hydroxide | Х    | Х   | -    | 215-185-5 | -      |     | Χ     | Χ    | Х    | Х     | Х    |

#### Legend:

- X Listed
- E Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.
- F Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- P Indicates a commenced PMN substance
- R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule
- T Indicates a substance that is the subject of a Section 4 test rule under TSCA.
- XU Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).
- Y1 Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.
- Y2 Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

#### U.S. Federal Regulations

TSCA 12(b) Not applicable

SARA 313 Not applicable

### SARA 311/312 Hazardous Categorization

Acute Health Hazard

Chronic Health Hazard

No
Fire Hazard

Sudden Release of Pressure Hazard

No
Reactive Hazard

No

#### **Clean Water Act**

| Component        | CWA - Hazardous<br>Substances | CWA - Reportable<br>Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants |
|------------------|-------------------------------|--------------------------------|------------------------|---------------------------|
| Sodium hydroxide | X                             | 1000 lb                        | -                      | -                         |

Clean Air Act Not applicable

**OSHA** Occupational Safety and Health Administration

Not applicable

#### **CERCLA**

Not applicable

| Component        | Hazardous Substances RQs | CERCLA EHS RQs |
|------------------|--------------------------|----------------|
| Sodium hydroxide | 1000 lb                  | -              |

**California Proposition 65** 

This product does not contain any Proposition 65 chemicals

State Right-to-Know

| Component        | Massachusetts | New Jersey | Pennsylvania | Illinois | Rhode Island |
|------------------|---------------|------------|--------------|----------|--------------|
| Sodium hydroxide | X             | X          | X            | -        | X            |

#### **U.S. Department of Transportation**

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

#### U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

### Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class Non-controlled

| 16. Other information |
|-----------------------|
|-----------------------|

Prepared By Regulatory Affairs

Remel

Tel: 1-800-255-6730

 Revision Date
 02-Apr-2015

 Print Date
 02-Apr-2015

Revision Summary

This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS)

### Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

### **End of SDS**