



# Fisher Scientific

Part of Thermo Fisher Scientific

## Material Safety Data Sheet

Creation Date 17-Aug-2010

Revision Date 17-Aug-2010

Revision Number 1

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Name** Phenol, Saturated (pH 4.3)

**Cat No.** BP1751I-100; BP1751I-400

**Synonyms** Buffered Phenol Solution

**Recommended Use** Laboratory chemicals

**Company**

Fisher Scientific  
One Reagent Lane  
Fair Lawn, NJ 07410  
Tel: (201) 796-7100

**Emergency Telephone Number**

CHEMTREC®, Inside the USA: 800-424-9300  
CHEMTREC®, Outside the USA: 703-527-3887

### 2. HAZARDS IDENTIFICATION

**DANGER!**

**Emergency Overview**

Combustible liquid. Toxic by inhalation, in contact with skin and if swallowed. Causes burns by all exposure routes. May cause central nervous system effects. Possible risks of irreversible effects. Danger of serious damage to health by prolonged exposure.

**Appearance** No information available.

**Physical State** Liquid

**odor** sweet, strong

**Target Organs**

Skin, Eyes, Respiratory system, Central nervous system (CNS), Kidney, Liver

**Potential Health Effects**

**Acute Effects**

**Principle Routes of Exposure**

**Eyes**

Causes burns.

**Skin**

Toxic in contact with skin. Causes burns.

**Inhalation**

Toxic by inhalation. Causes burns. Inhalation may cause central nervous system effects.

**Ingestion**

Toxic if swallowed. Causes burns. May cause central nervous system effects.

**Chronic Effects**

Tumorigenic effects have been reported in experimental animals.. Experiments have shown reproductive toxicity effects on laboratory animals. Possible risks of irreversible effects. Danger of serious damage to health by prolonged exposure. May cause adverse liver effects. May cause adverse kidney effects.

See Section 11 for additional Toxicological information.

**Aggravated Medical Conditions** Preexisting eye disorders. Kidney disorders. Liver disorders. Skin disorders.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Haz/Non-haz

Component	CAS-No	Weight %
Phenol	108-95-2	80 - 94
Water	7732-18-5	5 - 19
1,2-Benzenedicarboxylic acid, monopotassium salt	877-24-7	< 1.0

### 4. FIRST AID MEASURES

<b>Eye Contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.
<b>Skin Contact</b>	Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.
<b>Inhalation</b>	Move to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth resuscitation if victim ingested or inhaled the substance; induce artificial respiration with a respiratory medical device. Immediate medical attention is required.
<b>Ingestion</b>	Do not induce vomiting. Call a physician or Poison Control Center immediately.
<b>Notes to Physician</b>	Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

<b>Flash Point</b>	79.4°C / 174.9°F
<b>Method</b>	No information available.
<b>Autoignition Temperature</b>	715°C / 1319°F
<b>Explosion Limits</b>	
<b>Upper</b>	8.6 vol %
<b>Lower</b>	1.7 vol %
<b>Suitable Extinguishing Media</b>	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
<b>Unsuitable Extinguishing Media</b>	No information available.
<b>Hazardous Combustion Products</b>	No information available.
<b>Sensitivity to mechanical impact</b>	No information available.
<b>Sensitivity to static discharge</b>	No information available.

#### Specific Hazards Arising from the Chemical

Combustible material. Containers may explode when heated. Keep product and empty container away from heat and sources of ignition.

**Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

**NFPA****Health 4****Flammability 2****Instability 0****Physical hazards N/A****6. ACCIDENTAL RELEASE MEASURES****Personal Precautions**

Use personal protective equipment. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Take precautionary measures against static discharges. Do not get in eyes, on skin, or on clothing.

**Environmental Precautions**

Should not be released into the environment.

**Methods for Containment and Clean Up**

Remove all sources of ignition. Soak up with inert absorbent material. Take precautionary measures against static discharges. Keep in suitable and closed containers for disposal.

**7. HANDLING AND STORAGE****Handling**

Use only under a chemical fume hood. Wear personal protective equipment. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges. Do not breathe vapors or spray mist. Do not get in eyes, on skin, or on clothing.

**Storage**

Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from light. Keep away from heat and sources of ignition. Corrosives area. Keep refrigerated.

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION****Engineering Measures**

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location.

**Exposure Guidelines**

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH
Phenol	TWA: 5 ppm Skin	(Vacated) TWA: 5 ppm (Vacated) TWA: 19 mg/m <sup>3</sup> Skin TWA: 5 ppm TWA: 19 mg/m <sup>3</sup>	IDLH: 250 ppm TWA: 5 ppm TWA: 19 mg/m <sup>3</sup> Ceiling: 60 mg/m <sup>3</sup> Ceiling: 15.6 ppm

Component	Quebec	Mexico OEL (TWA)	Ontario TWAEV
Phenol	TWA: 19 mg/m <sup>3</sup> TWA: 5 ppm Skin	TWA: 19 mg/m <sup>3</sup> TWA: 5 ppm STEL: 10 ppm STEL: 38 mg/m <sup>3</sup>	TWA: 19 mg/m <sup>3</sup> TWA: 5 ppm Skin

**NIOSH IDLH:** Immediately Dangerous to Life or Health

**Personal Protective Equipment**

**Eye/face Protection**

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166

**Skin and body protection**

Wear appropriate protective gloves and clothing to prevent skin exposure

**Respiratory Protection**

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical State</b>	Liquid
<b>Appearance</b>	No information available.
<b>odor</b>	sweet, strong
<b>Odor Threshold</b>	No information available.
<b>pH</b>	4.3
<b>Vapor Pressure</b>	No information available.
<b>Vapor Density</b>	No information available.
<b>Viscosity</b>	No information available.
<b>Boiling Point/Range</b>	No information available.
<b>Melting Point/Range</b>	No information available.
<b>Decomposition temperature</b>	No information available.
<b>Flash Point</b>	79.4°C / 174.9°F
<b>Evaporation Rate</b>	No information available.
<b>Specific Gravity</b>	1.05
<b>Solubility</b>	Soluble in water
<b>log Pow</b>	No data available

## 10. STABILITY AND REACTIVITY

<b>Stability</b>	Stable under normal conditions. Air sensitive. Light sensitive.
<b>Conditions to Avoid</b>	Incompatible products. Heat, flames and sparks. Exposure to air. Exposure to light.
<b>Incompatible Materials</b>	Oxidizing agents, Reducing agents, Strong acids
<b>Hazardous Decomposition Products</b>	Carbon monoxide (CO), Carbon dioxide (CO <sub>2</sub> ), Aldehydes, Ketones, Thermal decomposition can lead to release of irritating gases and vapors
<b>Hazardous Polymerization</b>	Hazardous polymerization does not occur.
<b>Hazardous Reactions .</b>	None under normal processing.

## 11. TOXICOLOGICAL INFORMATION

**Acute Toxicity**

**Component Information**

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Phenol	317 mg/kg ( Rat )	525 mg/kg ( Rat ) 630 mg/kg ( Rabbit )	316 mg/m <sup>3</sup> ( Rat ) 4 h
1,2-Benzenedicarboxylic acid, monopotassium salt	3200 mg/kg ( Rat )	Not listed	Not listed

**Irritation** Causes burns by all exposure routes

**Toxicologically Synergistic Products** No information available.

### Chronic Toxicity

**Carcinogenicity** There are no known carcinogenic chemicals in this product

Component	ACGIH	IARC	NTP	OSHA	Mexico
Phenol	Not listed	group 3	Not listed	Not listed	Not listed

**IARC: (International Agency for Research on Cancer)**

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

**Sensitization** No information available.

**Mutagenic Effects** No information available.

**Reproductive Effects** Experiments have shown reproductive toxicity effects on laboratory animals.

**Developmental Effects** Developmental effects have occurred in experimental animals.

**Teratogenicity** Teratogenic effects have occurred in experimental animals..

**Other Adverse Effects** Tumorigenic effects have been reported in experimental animals.. See actual entry in RTECS for complete information.

**Endocrine Disruptor Information** No information available

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

Do not empty into drains.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Phenol	EC50 96 h 46.42 mg/L EC50 96 h 0.0188 - 0.1044 mg/L EC50 72 h 187 - 279 mg/L EC50 96 h 46.42 mg/L	Not listed	EC50 21 - 36 mg/L 30 min EC50 = 23.28 mg/L 5 min EC50 = 25.61 mg/L 15 min EC50 = 28.8 mg/L 5 min EC50 = 31.6 mg/L 15 min	EC50 48 h 23.0 mg/L LC50 48 h 13 mg/L EC50 48 h 23.0 mg/L

**Persistence and Degradability** No information available

**Bioaccumulation/ Accumulation** No information available

**Mobility**

Component	log Pow
Phenol	1.47
Water	-1.87

### 13. DISPOSAL CONSIDERATIONS

**Waste Disposal Methods**

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification

Component	RCRA - U Series Wastes	RCRA - P Series Wastes
Phenol - 108-95-2	U188	-

### 14. TRANSPORT INFORMATION

**DOT**

**UN-No** UN2821  
**Proper Shipping Name** PHENOL SOLUTIONS  
**Hazard Class** 6.1  
**Packing Group** II

**TDG**

**UN-No** UN2821  
**Proper Shipping Name** PHENOL SOLUTIONS  
**Hazard Class** 6.1  
**Packing Group** II

**IATA**

**UN-No** UN2821  
**Proper Shipping Name** PHENOL SOLUTION  
**Hazard Class** 6.1  
**Packing Group** II

**IMDG/IMO**

**UN-No** UN2821  
**Proper Shipping Name** PHENOL SOLUTION  
**Hazard Class** 6.1  
**Packing Group** II

### 15. REGULATORY INFORMATION

**International Inventories**

15. REGULATORY INFORMATION											
Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	CHINA	KECL
Phenol	X	X	-	203-632-7	-		X	X	X	X	KE-28209 X
Water	X	X	-	231-791-2	-		X	-	X	X	X
1,2-Benzenedicarboxylic acid, monopotassium salt	X	X	-	212-889-4	-		X	X	X	X	KE-02310 X

**Legend:**

X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.

P - Indicates a commenced PMN substance

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B)).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

**U.S. Federal Regulations**

**TSCA 12(b)** Not applicable

**SARA 313**

Component	CAS-No	Weight %	SARA 313 - Threshold Values %
Phenol	108-95-2	80 - 94	1.0

**SARA 311/312 Hazardous Categorization**

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	Yes
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

**Clean Water Act**

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Phenol	X	1000 lb	X	X

**Clean Air Act**

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Phenol	X		-

**OSHA**

Not applicable

**CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
Phenol	1000 lb	1000 lb

**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

**State Right-to-Know**

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Phenol	X	X	X	X	X

**U.S. Department of Transportation**

Reportable Quantity (RQ): Y  
 DOT Marine Pollutant N  
 DOT Severe Marine Pollutant N

**U.S. Department of Homeland Security**

This product does not contain any DHS chemicals.

**Other International Regulations**

**Mexico - Grade** Moderate risk, Grade 2

**Canada**

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

**WHMIS Hazard Class**

B3 Combustible liquid  
 D1A Very toxic materials  
 E Corrosive material



**16. OTHER INFORMATION**

Prepared By

Regulatory Affairs



---

**16. OTHER INFORMATION**

Thermo Fisher Scientific  
Tel: (412) 490-8929

**Creation Date** 17-Aug-2010

**Print Date** 17-Aug-2010

**Revision Summary** "\*\*\*\*", and red text indicates revision

**Disclaimer**

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of MSDS**