

MSDS**Material Safety Data Sheet**

Jorgensen Laboratories, Inc.
1450 North Van Buren Ave.
Loveland, CO 80538

Urine Reagent Strips

Product Codes: J630K
Effective Date: April 1997

Weekday Emergency Telephone:
1-800-222-9880 or 714-693-7788

All non-emergency questions may be directed to customer service @ (970)669-2500 or fax (970)663-5042

NAME AND PRODUCT

Product Name: Urine Reagent Strips
Manufacturer's Part Number: URS-2K, 2P, 1K
Contact: Quality Assurance
Chemical Family or Product Type: Urine Reagent Strips
Date of Preparation: Revised 4/17/97

COMPOSITION

<u>Chemical Name</u>	<u>%</u>	<u>CAS#</u>
Buffered Salts, Enzymes, pH Indicators, On plastic strips Other components either non-hazardous or at concentrations below that requiring hazardous listing.	Mixture	

PHYSICAL DATA

Boiling Point (°F): NA
Melting Point: NA
Specific Gravity: <0.1 (Water = 1)
Vapor Pressure: <0.1 (Air = 1)
Percent Volatile by Volume: <10
Vapor Density: NA
Evaporation Rate: <0.1 (Water = 1)
Solubility in Water: Insoluble
Appearance and Odor: 2 small, multicolor reagent areas fastened to a plastic strip

FIRE AND EXPLOSIVE HAZARD DATA

Flashpoint (method used): NA
Flammable Limit: NA
Extinguishing Media: Use media appropriate for surrounding materials.
Special Fire Fighting Procedures: NA
Explosion Potential: None identified

HEALTH AND HAZARD DATA

Threshold Limit Value (TLV): NA

Effects of Overexposure: None

Emergency and First Aid Procedures:

Ingestion: Have patient drink 2 - 8oz. glasses of water or milk to dilute and contact physician for further care.

Skin Contact: Avoid contact.

Inhalation: Not considered health risk.

REACTIVITY DATA

Stability: Stable; this product is stable as sold if used as directed.

Hazardous Polymerization: Will not occur.

Incompatibility (materials to avoid): Strong oxidizing substances.

Decomposition Products: NA

Conditions to Avoid: Avoid high temperature, high humidity conditions. Do not prolong exposure to air and light.

SPILL AND DISPOSAL PROCEDURES

Steps to be taken in case of Spills or Leaks: Sweep up or pick up and place in a disposable container.

Waste Disposal Method: Follow Federal, State and local regulations.

PERSONAL PROTECTION INFORMATION

Respiratory Protection (type): Not required.

Ventilation:

Mechanical: Good general ventilation.

Local Exhaust: NA

Eye Protection: Goggles with side shields recommended during testing.

Protective Gloves: Gloves required.

Other Protective Equipment: Laboratory coat, eyewash, emergency shower.

Measures to be taken during repair and maintenance equipment that has been in contact with the materials: Wash equipment with water. Dispose as in "Spill and Disposal Procedures" above.

SPECIAL PRECAUTIONS

Precautions to be taken in Handling and Storage: Store at temperature and conditions as listed on Product Label. See Product Label or Package Insert for instructions on handling urine strips during test.

Other Precautions: Avoid contact or ingestion.

OTHER INFORMATION

This Product is labeled in accordance with CFR21 (Food and Drugs), Section 809.10

DISCLAIMER

Disclaimer of Expressed and Implied Warranties: The information contained herein has been compiled from data presented in various technical sources believed to be accurate. Teco Diagnostics and Jorgensen Laboratories make no warranties and assume no liability in connection with the use of this information. It is the user's responsibility to determine the suitability of this information and to assure the adoption of necessary