

EASTMAN KODAK COMPANY -- 853 6625 POLYMAX T FIXER, 1 GALLON, WORKING SOLUTION -- 6750-01-428-0393

===== Product Identification =====

Product ID:853 6625 POLYMAX T FIXER, 1 GALLON, WORKING SOLUTION

MSDS Date:07/14/1993

FSC:6750

NIIN:01-428-0393

MSDS Number: CDQQK

=== Responsible Party ===

Company Name:EASTMAN KODAK COMPANY

Address:343 STATE STREET

City:ROCHESTER

State:NY

ZIP:14650

Country:US

Info Phone Num:716-477-3194 MSDS :800- 242-2424

Emergency Phone Num:716-722-5151

CAGE:19139

=== Contractor Identification ===

Company Name:EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST

Box:City:ROCHESTER

State:NY

ZIP:14650-1115

Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

Company Name:EASTMAN KODAK CO US CUSTOMER SERVICE/GOVERNMENT SALES

Address:800 LEE RD

Box:City:ROCHESTER

State:NY

ZIP:14650-3129

Country:US

Phone:800-828-6203

CAGE:5K871

===== Composition/Information on Ingredients =====

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000

Fraction by Wt: 80-90%

Other REC Limits:NONE RECOMMENDED

Ingred Name:AMMONIUM THIOSULFATE

CAS:7783-18-8

RTECS #:XN6465000

Fraction by Wt: 10-15%

Other REC Limits:NONE RECOMMENDED

Ingred Name:SODIUM ACETATE

CAS:127-09-3

RTECS #:AJ4300010

Fraction by Wt: 1-5%

Other REC Limits:NONE RECOMMENDED

Ingred Name:SODIUM BISULFITE (SASA III) (CERCLA)

CAS:7631-90-5

RTECS #:VZ2000000

Fraction by Wt: 1-5%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3

ACGIH TLV:5 MG/M3; 9596

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:AMMONIUM SULFITE (CERCLA)

CAS:10196-04-0

Fraction by Wt: <1%

Other REC Limits:NONE RECOMMENDED

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
 Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO
 Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
 Health Hazards Acute and Chronic:INHAL:EXPECTED TO BE A LOW HAZARD FOR
 RECOMMENDED HANDLING. EYES:NO SPECIFIC HAZARD KNOWN. MAY CAUSE
 TRANSIENT IRRITATION. SKIN:LOW HAZARD FOR RECOMMENDED HANDLING.
 INGEST:EXPECTED TO BE LOW INGESTION HAZARD.
 Explanation of Carcinogenicity:PER MSDS:CARCINOGENICITY
 CLASSIFICATION:IARC/ACGIH/NTP/OSHA:NONE.
 Effects of Overexposure:TRANSIENT EYE IRRITATION.
 Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:INHAL:IF SYMPTOMATIC MOVE TO FRESH AIR. GET MED ATTN IF
 SYMPTONS PERSIST. EYES:ANY MATL THAT CONTACTS EYE SHOULD BE WASHED
 OUT IMMED W/WATER. GET MED ATTNIF SYMPTOMS OCCUR. SKIN:WASH W/SOAP
 & WATER. G ET MED ATTN IF SYMPTOMS OCCUR. INGEST:DRINK 1-2 GLASSES
 OF WATER. SEEK MED ATTN.

===== Fire Fighting Measures =====

Flash Point:NONE,NON-COMBUST
 Autoignition Temp:Autoignition Temp Text:NP
 Lower Limits:NPA
 Extinguishing Media:USE APPROPRIATE AGENT FOR ADJACENT FIRE.
 Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS &
 PROTECTIVE CLOTHING. FIRE OR EXCESSIVE HEAT MAY PRODUCE HAZARDOUS
 DECOMPOSITION PRODUCTS.
 Unusual Fire/Explosion Hazard:NONE.

===== Accidental Release Measures =====

Spill Release Procedures:FLUSH TO SEWER W/LG AMTS OF WATER.OTHERWISE
 ABSORB W/VERMICULITE OR OTHER INERT MATERIAL, THEN PLACE IN
 CONTAINER FOR CHEMICAL WASTE. CLEAN SURFACE THOROUGHLY TO REMOVE
 RESIDUAL CONTAMINATION.
 Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:USE W/ADEQUATE VENTILATION.KEEP FROM
 CONTACT W/OXIDIZING MATLS.KEEP CNTNR TIGHTLY CLOSED.KEEP AWAY FROM
 INCOMPATIBLE SUBSTANCES.
 Other Precautions:PROPERTIES:MOD BIOCHEM OXY DEMAND,MAY CAUSE OXY
 DEPLETION IN AQU SYSTEM.LOW POT TO AFFECT AQU ORGANISMS/2ND WASTE
 TREATMENT MICROBIAL METABOLISM/GERM &/OR EARLY GROWTH OF SOME
 PLANTS/PERSIST IN ENVIRO N/POT TO BIOCONCEN.AFT DILUTION (SUPPLE)

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE SHOULD BE NEEDED.
 Ventilation:GOOD GENERAL VENTILATION (TYPICALLY 10 AIR CHANGES/HR)
 SHOULD BE USED. VENTILATION RATES SHOULD BE MATCHED TO CONDITIONS
 Protective Gloves:IMPERVIOS GLOVES.
 Eye Protection:SAFETY GLASSES W/SIDE SHIELDS, GOGGLES.
 Other Protective Equipment:EYE BATH,WASHING FACILITIES,SAFETY SHOWER.
 Work Hygienic Practices:WASH THOROUGHLY AFT HNDLG.GOOD INDUST HYG PRAC
 SHOULD BE FOLLOWED WHICH INCLUDES EYE CONTACT,MIN SKIN
 CONTACT,INHAL.
 Supplemental Safety and Health
 OTHER PRECAUT:W/LG AMT OF WATER/2ND WASTE TREAT,MATL NOT EXPECTED TO
 CAUSE ADVERSE ENVIRO EFFECTS. PNIND:A FOR CONCENTRATE.

===== Physical/Chemical Properties =====

HCC:N1
 Boiling Pt:B.P. Text:>212F,>100C
 Melt/Freeze Pt:M.P/F.P Text:NP
 Decomp Temp:Decomp Text:NP
 Vapor Pres:18 @20C
 Vapor Density:0.6
 Spec Gravity:>1.00
 pH:4.8-5
 Viscosity:NP

Evaporation Rate & Reference:NP
Solubility in Water:COMPLETE.
Appearance and Odor:LIQUID, COLORLESS, AMMONIA ODOR.
Percent Volatiles by Volume:80-90
Corrosion Rate:NP

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS, BASES, SODIUM HYPOCHLORITE (BLEACH).
Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.
Hazardous Decomposition Products:AMMONIA,NITROGEN OXIDES (NOX),SULFUR
DIOXIDE,CHLORAMINE. HAZ COMBUST PROD:NONE (NON-COMBUSTIBLE).

===== Disposal Considerations =====

Waste Disposal Methods:DISCHARGE/TREATMENT/DISPOSAL MAY BE SUBJECT TO
NATIONAL/STATE/LOCAL LAWS. FLUSH TO SEWER W/LG AMTS OF WATER. CHEM
SUBJ TO REPORTING REQMTS OF SEC 313 TITLE III SARA/40CFR372:NONE.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.