

Class Year	2023	2024	2025
Retention/(Attrition Rate) Percentage of students entering the first half of the program that move on to the second	93%	93%	100%
Graduation Rate Percentage of students beginning the second half of the program that go on to successfully graduate. *Minimum Standard – 70%	100%	100%	100%
Three year average (Graduation Rate)	98%	100%	100%
Employment/Placement Rate Percentage of graduates reporting that they have found employment or are continuing their education within one year of graduation. *Minimum Standard – 70%	100%	100%	100%
Three year average (Employment/Placement)	100%	100%	100%
Certification Exam Pass Rate Percentage of students taking and passing either the ASCP Board of Certification MLS Exam or the AMT MLS Certification Exam within one year of graduation *Minimum Standard – 75%			
Three year average (Exam Pass Rate)	56%	61%	64%

ASCP: American Society for Clinical Pathology AMT: American Medical Technologists MLS: Medical Laboratory Science

*Rate established by the National Accrediting Agency for Clinical Laboratory Sciences (NAACLS) as a quality measure of its accredited programs

West Liberty University Medical Laboratory Science Program is accredited by: National Accrediting Agency for Clinical Laboratory Sciences (NAACLS) located at 5600 N River Rd Suite 720 Rosemont, IL 60018-5119